

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Company Information:

BioBlend Renewable Resources, LLC 1500 Jarvis Ave. Elk Grove Village, IL 60007 (630) 227-1800 www.bioblend.com

Emergency Contact Information:

(630) 227-1800 8 AM - 4 PM, Monday through Friday

Product Name BioBlend PO

Product Description Biodegradable Penetrating Oil

Product Use Product is intended for use as an industrial lubricant.

SECTION 2: HAZARD(S) IDENTIFICATION

Hazard Statement This chemical is considered hazardous by the 2012 OSHA Hazard

Communication Standard, which has been updated to align with the Globally Harmonized System of Classification and Labelling of Chemicals

(GHS).

Precautionary Statements Flammable liquid and vapor. May be harmful if swallowed. Causes skin Keep away from heat/sparks/open flames/hot surfaces. No smoking.Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after handling.

Category 3

Hazards not otherwise

Hazard Classification

classified

None Known

Flammable liquids

Unknown Toxicity

Statement

<1% of the mixture consists of ingredients with unknown toxicity

Use only outdoors or in a well-ventilated area. Wear protective

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Weight %
Canola	120962-03-0	60-100%
Green Solvent	PROPRIETARY	5-15%
Water Displacing Additive	PROPRIETARY	1-5%
Performance Package	MIXTURE	1-3%

The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is indicated as "PROPRIETARY" or "MIXTURE", information has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

First Aid - Inhalation	If breathing is difficul	t, remove to fresh air and kee	en at rest in a position
i ii 3t Alu - Illilalatioli	ii bi caliiiig is uiiiicui	i, remove to mesman and ket	p at rest in a position

comfortable for breathing. For breathing difficulties, oxygen may be

necessary. Call a physician if symptoms develop or

persist.

First Aid - Eye Contact Remove contact lenses, if present and easy to do. Get medical attention if

irritation develops and persists. Promptly wash eyes with plenty of water

while lifting the eye lids.

First Aid - Skin Contact Take off immediately all contaminated clothing. Get medical attention if

irritation develops and persists. Wash skin thoroughly with soap and water

for several minutes.

First Aid - Ingestion Call a physician or poison control center immediately. If swallowed, rinse

mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit

doesn't enter the lungs.

Recommendations for immediate medical care/special treatment

Physicians should treat symptomatically. Ensure that medical personnel

are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

SECTION 5: FIREFIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards that may develop

Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite if exposed to air. Store wiping rags and other materials in metal cans with tight fitting lids. Cool closed containers exposed to fire with water spray.

Special firefighting equipment/precautions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions Avoid high pressure washing or generation of aerosols. Material can

create slippery conditions. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all sources of ignition. Avoid contact with skin or inhalation of

spillage, dust or vapor.

Emergency procedures

In the event of a spill, evacuate non-essential personnel, remove any sources of ignition, ventilate spill area, and prevent entry into sewers and waterways. Pick up free material for recycle or disposal and absorb residual liquid with inert material.

Methods and material for containment

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Cleanup procedures

General: Dam up, then soak up with absorbent material. Use a dry spill kit or sand, and collect in appropriate containers before disposing according to all proper regulations. Clean contaminated surfaces thoroughly.

Large Spills: Stop the flow of material, if this is without risk. Dike the

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Storage recommendations

Store in a cool, sheltered location. To maintain product quality, do not store in heat or direct sunlight.

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	Mexico	NIOSH
Vegetable Oil Mist	TVL: 10mg/m(3)	TWA: 5 mg/m(3) mist,	TWA: 10 mg/m(3) except	TWA: 10 mg/m(3) total mist
		respirable fraction	irritant oils	TWA: 5 mg/m(3) respirable
		TWA: 15 mg/m(3) mist, total		mist

Engineering controls

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

Recommended Personal Protective Equipment:

Eye/Face Protection Safety goggles or safety glasses with side shields are recommended.

Respiratory Protection Respiratory protection not required. If ventilation is insufficient, suitable

respiratory protection must be provided.

Skin/Body Protection Chemical and oil resistant gloves are recommended. Appropriate body

protection should be selected based on activity and possible exposure. Specific local conditions under which the product is used should also be taken into consideration. Use of an impervious apron is recommended.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Amber liquid

Odor Mild Odor

Odor Threshold Not available

pH Not available

Melting Point/ Freezing Point Not available

Initial Boiling Point/

Range

Not available

Flash Point >135° F (>55° C)

Evaporation rate Not available

Flammability Not available

Flammability, upper

limits

Not available

Flammability, lower

limits

Not available

Vapor pressure Not available

Vapor density Not available

Relative density Not available

Soluble in many organic solvents

Solubility in water Negligible

Partition coefficient:

n-octanol/water

Not available

Auto-ignition tempera-

ture

Not available

Decomposition temp-

erature

Not available

Viscosity @ 40C, cSt

Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity This product is stable and non-reactive under normal conditions of use,

storage, handling and transportation.

Stability This product is chemically stable under normal conditions of use, storage,

handling and transportation.

Possibility of hazard-

ous reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid contact with incompatible materials and keep product away from

open flames, hot surfaces, temperatures exceeding flash point and

sources of ignition.

Incompatible mater- Strong oxidizing agents.

Hazardous decomposition products

No hazardous decomposition products if stored and handled as indicated.

SECTION 11: TOXICOLOGICAL INFORMATION

Potential health effects:

Inhalation May cause irritation to the respiratory system.

Eye contact Causes serious eye damage. Causes mild eye irritation.

Skin contact Causes skin irritation.

Ingestion May be harmful if swallowed.

Symptoms or effects, including acute and delayed:

Inhalation None known or expected under normal use.

Eye Contact None known or expected under normal use.

Skin Contact None known or expected under normal use.

Ingestion None known or expected under normal use.

Toxicological effects:

Acute Toxidity	No data available	
Skin corrosion/irritation	Causes skin irritation	
Serious eye damage/irritation	Causes serious eye damage	
Respiratory sensitization	No data available	
Skin se nsitization	In vivo a ssay, mouse, does not cause skin sensitization	
Germ cell mutagenicity	Ames Test, 5. typh murlum, negative	
Cardnogenidity	29 CFR 1910.1001-1050, not listed	
Reproductive toxicity	Developmental toxicity, rat - Dermal, no adverse effect observed	
STOT - single exposure	May cause respiratory irritation; inhalation - Maty cause respiratory irritation -Respiratory Tract	
STOT - repeated exposure	Not classified	
As piration hazard	Not available	

NTP Report on Carcinogens

This product is not considered to be a carcinogen by NTP.

IARC listing of potential carcinogens This product is not considered to be a carcinogen by IARC.

OSHA listing of potential carcinogens This product is not considered to be a carcinogen by OSHA.

SECTION 12: ECOLOGICAL INFORMATION

OECD 301B Biodegradability

>75%

Bioaccumulation Not available

OECD 201

Not available

Alga, EC50, 72hr, mg/L

OECD 202

Daphnia, EC50, 48hr,

mg/L

Not available

OECD 203

Fish, LC50, 96hr, mg/L

Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal consider-

ations

Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of

Waste from residues/ unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed metal containers to help prevent combustion.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product

SECTION 14: TRANSPORT INFORMATION

US DOT UN 1192, COMBUSTIBLE LIQUID, N.O.S., 3, PG III

LTD. QTY. or LIMITED QUANTITY

TDG (Canada) Not available

ICAO UN 1192, COMBUSTIBLE LIQUID, N.O.S., 3, PG III

LTD. QTY. or LIMITED QUANTITY

IMDG UN 1192, COMBUSTIBLE LIQUID, N.O.S., 3, PG III

LTD. QTY. or LIMITED QUANTITY

IATA UN 1192, COMBUSTIBLE LIQUID, N.O.S., 3, PG III

LTD. QTY. or LIMITED QUANTITY

SECTION 15: REGULATORY INFORMATION

US TSCA Inventory Not regulated

California Prop. 65 Not listed

SARA Extremely Hazardous Sub-

stances

Not listed

SARA Section 313 Not regulated

CERCLA Hazard- ous Substances

Not listed

SECTION 16: OTHER INFORMATION

Revision date 1-1-2022



This product's safety information is provided to assist our customers in assessing compliance with safety, health and environmental regulations. The information contained within this document is based on data available to us and is believed to be accurate at the time of last revision. However, no warranty of use or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of this product. Whereas the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of this product. Such conditions must comply with with all regulations concerning this product. BioBlend Renewable Resources, LLC assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to gross negligence on the part of BioBlend Renewable Resources, LLC.